EPA Registration Jacket 70051-46 Vol. 2

`Material to be added to an e-Jacket/Jacket

	Reg. No. 70051-46
1.	□ Placement within the e-Jacket/jacket:
	□ Default: (chronological, top/newest)
	□ Description: (PDF page number, i.e., "before page 45")
2.	☐ Send to Data Extraction contractors this material:
	□ Newly stamped accepted label
	□ Notification
	□ Other: Mailed 3 gold seal certificates


3. Attach this coversheet to the top of the material or jacket. It must be well organized and clipped together, NOT STAPLED. Then give the material with this coversheet to staff in the Information Services Center (Room S-4900).

Reviewer's Name: Mary Paden

Phone: (703) 308-0411 Division: BPPD

Date: 11/29/2010

Created January 26, 2009



Mary 450: Gold Seals



Certis USA 9145 Guilford Road Suite 175 Columbia, MD 21046

(301) 604-7340

FAX: 301-604-7015 www.certisusa.com

September 27, 2010

Mary Paden
Biopesticides and Pollution Prevention Division
Office of Pesticide Programs
U.S. Environmental Protection Agency
2777 South Crystal Drive
Arlington, VA 22202-4501

Re: Certis U.S.A, L.L.C. (Company No. 70051)
Request for Gold Seal Letters

Certis USA, L.L.C. respectfully requests three Gold Seal Letters for the following products:

Spod-X LC EPA Reg. No.: 70051-46 Agree WG EPA Reg. No.: 70051-47 Condor WP EPA Reg. No.: 70051-80 Lepinox WDG EPA Reg. No.: 70051-89

Enclosed with this letter is a current EPA-stamped label, a copy of the final printed label, and EPA form 8570-1 for the highlighted product.

Once complete, please forward the Gold Seals to my attention at this letterhead address. Please do not hesitate to contact me if you have any questions. I can be contacted by telephone at 301-483-3806 or by email at cdively@certisusa.com.

Respectfully,

Christine A. Duely -Christine A. Dively

Director of Regulatory Affairs

Please read instructions on reverse before co. eting form.		Form Appr	oved.	iB No. 20	70-0 060	Print Form
SEPA Environmental Protectio Washington, DC 204	-	у	×	Registra Amendn Other		OPP Identifier Number
Applicatio	n for Pes	ticide - Sec	tion	I		
1. Company/Product Number 70051-46		EPA Product Man lan Reynolds	ager			oposed Classification
4. Company/Product (Name) Spod-X LC	PM	1#	_			None Restricted
5. Name and Address of Applicant (Include ZIP Code) Certis U.S.A., L.L.C. 9145 Guilford Road, Suite 175 Columbia, MD 21046 Check if this is a new address	(b) to:	(i), my product i :	is sim	ilar or identi	cal in co	FIFRA Section 3(c)(3) mposition and labeling
	Section					
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below. Explanation: Use additional page(s) if necessary. (For section Request for Gold Seal		Agency lett "Me Too" X Other - Exp	er dat Applica Iain be	ation. Now.		completeele certificate
	Section	า - III				
1. Material This Product Will Be Packaged In:						
Child-Resistant Packaging Yes* X No * Certification must be submitted Unit Packaging Yes X No If "Yes" Unit Packaging wgt. No. per Unit Packaging wgt.	Water Solu Yes X No If "Yes" Package w	No. per	r	2. Type of (Container Metal Plastic Glass Paper Other (S	
3. Location of Net Contents Information 4. Size(s) Retainer Container	ail Container	1	5. Lo	Cation of Lab On Label On Labeli		ons opanying product
6. Manner in Which Label is Affixed to Product Lithogr Paper	raph glued led	Othe	r			
	Section	ı - IV				
1. Contact Point	n of individua	l to be contacted,	if nec	essary, to pro	cess this	application.)
Name Christine Dively	Title Director, Re	gulatory			Telephon 301-483	e No. (Include Area Code) -3806
Certifical I certify that the statements I have made on this form and I acknowledge that any knowingly false or misleading state both under applicable law.	all attachmer				or Added	6. Dete AppScation Received (Stamped)
O · H	Director, Re	gulatory				

5. Date

Sept. 24, 2010

4. Typed Name

Christine Dively

I, Sheryl Reilly, Chief, Microbial Pesticides Branch, Biopesticides and Pollution Prevention Division, Office of Pesticide Programs, Office of Prevention, Pesticides and Toxic Substances, United States Environmental Protection Agency (EPA), certify that the pesticide product listed below is, as of the date of this letter, a registered product under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, and that as such, the product may be sold and marketed in the United States of America as authorized and limited by FIFRA. A true and correct copy of the product label approved by EPA is attached to accompany this letter.

Registration of this product with EPA also denotes that the registrant listed below is responsible for ensuring full compliance with all laws of the United States of America, or governing jurisdiction, regarding the sale, storage and/or disposal of the product. Further, the recipient of this letter is on notice that the status of the referenced registration and/or the accompanying label may change subsequent to the date of this letter. EPA assumes no responsibility to notify the recipient of this letter of any change in the status of the registration and/or the product label for the product listed below. EPA has issued a registration number for the product listed below to:

Certis USA, LLC 9145 Guilford Road, Suite 175 Columbia, MD 21046

EPA REGISTRATION NUMBER

EPA Reg. No. 70051-46

NAME OF PRODUCT

iENCY


Spod-X® LC
Insecticidal Virus

Sheryl K. Reilly, PhD, Chief Microbial Pesticides Branch Biopesticides and Pollution Prevention Division

NOV 2 9 2010

(Date)


	CONCURRENCES						
SYMBOL > 7511(P)	7511AP						
SURNAME PADEN	Rull			· · · · · · · · · · · · · · · · · · ·			
DATE 26 NOVIO	11/20/10						
EPA Form 1320-1A (1/90)		Printed on Recycled Paper		OFFICIAL FILE COPY			



INSECTICIDAL VIRUS

A Liquid Concentrate Biological Insecticide For Control of Beet Armyworm

FOR ORGANIC PRODUCTION



KEEP OUT OF REACH OF CHILDREN CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS



NET CONTENTS 1 QUART EPA Reg. No. 70051-46 EPA Est. No. 70051-CA-001 Lot Number:

Manufactured by Certis USA, L.L.C. 9145 Guilford Road Suite 175 Columbia, MD 21046

SPOD-X LC is an Insecticidal Virus for control of the caterpillars of the beet armyworm on field and greenhouse crops and ornamentals. Read this label carefully.

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS (AND DOMESTIC ANIMALS):

CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Harmful if inhaled. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Hot Line Number: 1-800-255-3924.

PERSONAL PROTECTIVE EQUIPMENT:

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- · Shoes plus socks.

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Control Statements:

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

IMPORTANT: When reduced PPE is worn because a closed system is being used, handlers must be provided all PPE specified above for "applicators and other handlers" and have such PPE immediately available for use in an emergency, such as a spill or equipment break-down.

USER SAFETY RECOMMENDATION

Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

ENVIRONMENTAL HAZARDS: For Terrestrial Uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exemptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval (REI). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- · Coveralls
- · Waterproof gloves
- · Shoes plus socks

GENERAL INFORMATION

SPOD-X LC is a highly selective insecticide for use against the insects and on the crops listed on this label. Always follow these directions:

Treat when larvae are young (early instars) and are actively feeding. Apply before extensive damage has occurred. When insect infestations are heavy, use the higher label rates. Thorough spray coverage is essential for good insect control. Apply SPOD-X LC by conventional ground or aerial application equipment with quantities of water to provide thorough coverage of infested plants without runoff. The amount of water needed per acre will depend on weather, spray equipment, and local experience. Use the application amount of SPOD-X LC in 20-100 gallons of water per acre for ground application and in at least 5 gallons of water for aerial application. Use of a spreader/sticker and ultraviolet screening agent can enhance the performance of this product. Fill the mix tank with desired quantity of water. Use agitation during mixing. If spreader/sticker or ultraviolet screen is used, add prior to the addition of SPOD-X LC. Mixing time can be reduced by premixing SPOD-X LC with a small amount of water and vigorously agitating before adding to the tank. Mix final formulation for 10-30 minutes.

APPLICATION RATES

CROP		RATE	
	Billions Obs Per Acre	MIs Per Acre	FI. Oz Per Acre
Vegetables: Tomatoes, lettuce, cabbage, beans, peppers, celery, escarole, sweet corn, peas, asparagus, beets, cauliflower, cucumber, broccoli, onion	100 – 200	50 – 100	1.7 – 3.4
Other Crops: Cotton, alfalfa, soybeans, peanuts, potatoes, corn, wheat, sweetpotatoes, tobacco, sunflower, sugarbeets	100 – 200	50 – 100	1.7 – 3.4

CROP	RATE				
	Billions Obs Per Acre	MIs Per Acre	FI. Oz Per Acre		
FLORICULTURE: Chrysanthemum, gysophila, gerbera, rose, carnation, azalea, gladiolus, cyclamen, saintpaulia, geranium, Bouvardia	100 – 200	50 – 100	1.7 – 3.4		

MAKE APPLICATION WHEN LARVAE ARE IN THE FIRST AND SECOND INSTAR. LARVAE MUST INGEST OBS TO BE INFECTED, WHICH IS THE CASE WHEN THEY CONSUME SPRAYED PLANT MATERIAL.

This product is for use on both field and greenhouse crops and ornamentals. USE NONCHLORINATED WATER AT A pH NEAR 7.0 IN THE SPRAY-TANK MIX. SPOD-X LC can be applied up to and including the day of harvest and storage. Shake well before using.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store this product in original sealed container in a cool, dry place inaccessible to children and pets. Store at temperatures below 90°F. Bioactivity may be impaired by storage above 90°F. Storing the product in a freezer or refrigerator will extend its shelf-life.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling, if available or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY

Certis USA, L.L.C. warrants that the material contained herein conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use. Timing and method of application, weather, watering practices, nature of soil, the insect problem, condition of the crop, incompatibility with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herein. NO OTHER EXPRESS OR IMPLIED WARRANTY OF THE FITNESS OR MERCHANTABILITY IS MADE.

SHAKE WELL BEFORE USING

Material to be added to an e-Jacket/Jacket

	Reg. No. 70051-46
1.	Placement within the e-Jacket/jacket:
	Default: (chronological, top/newest)
	Description: (PDF page number, i.e., "before page 45")
_	
2.	Send to Data Extraction contractors this material:
	□ Newly stamped accepted label
	□ Notification - Accepted
	□ New CSF
	□ Other:


3. Attach this coversheet to the top of the material or jacket. It must be well organized and clipped together, NOT STAPLED. Then give the material with this coversheet to staff in the Information Services Center (Room S-4900).

Reviewer's Name: Mary Paden

Phone: (703) 308-0411 Division: BPPD

Date: 03/23/2010

Created January 26, 2009



Mary
332: Not: fication Goverhords
3.18-10.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY Washington, D.C. 20460

March 23, 2010

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Christine A. Dively Director of Regulatory Affairs CERTIS USA, LLC 9145 Guilford Road, Suite 175 Columbia, MD 21046

RE:

Product Name: Spod-X LC

EPA Reg. No: 70051-46

Application for Notification dated November 20, 2009, to add container reuse statement to the Storage and Disposal section as permitted by PR Notices 2007-4 and 2008-1.

Dear Ms. Dively,

The Biopesticides and Pollution Prevention Division is in receipt of your application for Notification under Pesticides Registration Notice (PRN) 98-10 dated above. A preliminary screen of this request has been conducted for its applicability under PRN 98-10 and it has been determined that the action(s) requested falls within the scope of PRN 98-10. Our records have been duly noted, and the letter submitted with this application has been stamped "Notification, received and accepted" and will be placed accordingly in our records.

Questions concerning this action should be directed to Mary Paden (703) 308-0411 or email at <u>paden.mary@epa.gov</u>.

Sincerely,

Sheryl K. Reilly

Sheryl K. Reilly, Ph.D., Chief Microbial Pesticides Branch Biopesticides and Pollution Prevention Division (7511P)

	CONCURRENCES							
SYMBOL		1: 11/ 1						
SURNAME		PARO						
DATE		3-187C						

EPA Form 1320-1A (1/90)

Printed on Recycled Paper



Certis USA 9145 Guilford Road Suite 175 Columbia, MD 21046

(301) 604-7340

FAX: 301-604-7015 www.certisusa.com

November 20, 2009

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
2777 South Crystal Drive
Arlington, VA 22202-4501

Re: Certis U.S.A., L.L.C.

Notification of label change per PR Notice 2007-4: Spod-X LC EPA Registration Number 70051-46

Certis U.S.A, L.L.C. respectfully submits the following change to the label for Spod-X LC (EPA Registration Number 70051-46) to comply with the requirements of PR Notice 2007-4:

Container reuse statements were added to the Storage and Disposal section of the label.

No other changes were made to the label.

Enclosed in this submission are the following:

- Application for Registration EPA Form 8570-1
- A copy of the final label

Please do not hesitate to contact me if you have any questions about this submission. I can be contacted by telephone at 301-483-3806 or by email at cdively@certisusa.com.

Respectfully,

Christine A. Dively

Director of Regulatory Affairs

Please read instructions on reverse be	fore i leting form.			Form Approx	vo(MB No. 20	70-0060	Prin	t Form	<u></u>
SEPA Enviro	United States nmental Protecti Washington, DC 20	-	ncy			Registra Amendn Other	tion	OPP Ident	ifier Numbe	ъr
	Applicati	on for I	Pesticid	e - Secti	on I					
1. Company/Product Number 70051-46			Microbi	roduct Manaç al Pesticides		nch	\	oposed Clas	sification Restric	
4. Company/Product (Name) Spod-X LC			PM# 92	V				I None L	Kestino	oled.
5. Name and Address of Applicant (Inc.) Certis U.S.A., L.L.C. 9145 Guilford Road, Suite 175 Columbia, MD 21046 Check if this is a new		0	(b)(i), m to: EPA R	dited Revie y product is eg. No	simila	ır or identi	cal in co		and labelin	ng
		Soc	tion - II	t Name _		3/24	*\		18-7	$\overline{\mathcal{O}}$
Amendment - Explain below. Resubmission in response to A Notification - Explain below.	gency letter dated	<u> </u>		Final printed Agency letter "Me Too" Ap Other - Expla	r dated oplicati	in response Reviev on:		1: m	Podo	V
the requirements of EP/ been made to the labelin U.S.C. Sec. 1001 to wil with the requirements o	if necessary. (For section ange per PR Notice 2007-A's regulations at 40 CFR ag or the Confidential Staffully make any false state f 40 CFR §§ 156.10, 156. bject to enforcement action	4. This noti §§ 156.10, tement of Fement to EF 140, 156.14 on and pena	fication is 156.140, 1 ormula for A. I furthe	56.144, 156.1 this product. r understand , and 156.156 sections 12 a	46, and and that if the that if the that if the	d 156.156. It rstand that it he amended product may	No other o t is a viola I label is i	changes have ation of 18 not consister	;	
1. Material This Product Will Be Packs	read In:	360	uon - n			ć	00000		······································	
Child-Resistant Packaging Yes* X No * Cortification must If "Yes"	kaging es	If "Yes	Soluble Pa Yes No :* ge wgt	No. per container		2. Type of	Conteiner Motal Plastic Glass Paper	Specify)) 6	
3. Location of Net Contents Informatio	4. Size(s) R Quart	etail Contai	ner		S. Loca	on of Lab On Label On Label		ons E	oduct	
6. Manner in Which Label is Affixed to	Product X Litho	graph r glued ciled		Other						·
			ion - IV	1						
1. Contact Point (Complete items dire	ctly below for identificat	ion of indiv	idual to be	contacted, if	neces	sary, to pro	cess this	application	.(
Name Christine Dively		Title Director	r, Reg. Aff	airs			Telephon	e No. (Inclu	2	ode)
I certify that the statements I had acknowledge that any knowing both under applicable law.		d all attach					•	6. Dete Al Receive (St		
2. Signature Christine A. D	ively	3. Title Director	, Reg. Affa	airs				(- (
4. Typed Name Christine Dively		5. Date	nr 23,	2009				3 k f s 5 k s 5 k s 5 k s	: : 	

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.

White - EPA File Copy (original)

Yellow - Applicant Copy



INSECTICIDAL VIRUS

A Liquid Concentrate Biological Insecticide For Control of Beet Armyworm

NOTIFICATION (DESCRIPTION)

FOR ORGANIC PRODUCTION

Date Reviewed: 03-18-10

Active Ingredient:*

Polyhedral occlusion bodies (OBs) of the nuclear polyhedrosis virus

of Spodoptera exigua

Devicement By: M

Other Ingredients: 99.36%

Total:*This lot contains at least 2 billion OBs/ml.

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

SPOD-X LC is an Insecticidal Virus for control of the caterpillars of the beet armyworm on field and greenhouse crops and ornamentals. Read this label carefully.

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS (AND DOMESTIC ANIMALS):

CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Harmful if inhaled. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Hot Line Number: 1-800-255-3924.

PERSONAL PROTECTIVE EQUIPMENT:

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- · Shoes plus socks.

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Control Statements:

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pestic des [46 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

NET CONTENTS 1 QUART

(j. 570 Beg. No. 70051-46 EPA Est. No. 70051-CA-001

Lot Number:

Manufactured by Certis USA, L.L.C.

Suite 175

9145 Guilford Road

Columbia, MD 21046

IMPORTANT: When reduced PPE is worn because a closed system is being used, handlers must be provided all PPE specified above for "applicators and other handlers" and have such PPE immediately available for use in an emergency such as a spill or equipment break-down.

USER SAFETY RECOMMENDATION

Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

ENVIRONMENTAL HAZARDS: For Terrestrial Uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters or rinsate.

DIRECTIONS FOR USE 1

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exemptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval (REI). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- · Coveralis
- · Waterproof gloves
- · Shoes plus socks

GENERAL INFORMATION

SPOD-X LC is a highly selective insecticide for use against the insects and on the crops listed on this label. Always follow these directions:

Treat when larvae are young (early instars) and are actively feeding. Apply before extensive damage has occurred. When insect infestations are heavy, use the higher label rates. Thorough spray coverage is essential for good insect control. Apply SPOD-X LC by conventional ground or aerial application equipment with quantities of water to provide thorough coverage of infested plants without runoff. The amount of water needed per acre will depend on weather, spray equipment, and local experience. Use the application amount of SPOD-X LC in 20-100 gallons of water per acre for ground application and in at least 5 gallons of water for aerial application. Use of a spreader/sticker and ultraviolet screening agent can enhance the performance of this product. Fill the mix tank with desired quantity of water. Use agitation during mixing. If spreader/sticker or ultraviolet screen is used, add prior to the addition of SPOD-X LC. Mixing time can be reduced by premixing SPOD-X LC with a small amount of water and vigorously agitating before adding to the tank. Mix final formulation for 10-30 minutes.

APPLICATION RATES

CROP	RATE						
	Billions Obs Per Acre	MIs Per Acre	Fl. Oz Per Acre				
Vegetables: Tomatoes, lettuce, cabbage, beans, peppers, celery, escarole, sweet corn, peas, asparagus, beets, cauliflower, cucumber, broccoli, onion	100 – 200	50 – 100	1.7 – 3.4				
Other Crops: Cotton, alfalfa, soybeans, peanuts, potatoes, corn, wheat, sweetpotatoes, tobacco, sunflower, sugarbeets	100 – 200	50 – 100	1.7 – 3.4				

CROP	RATE					
	Billions Obs Per Acre	Mis Per Acre	FI. Oz Per Acre			
FLORICULTURE: Chrysanthemum, gysophila, gerbera, rose, carnation, azalea, gladiolus, cyclamen, saintpaulia, geranium, Bouvardia	100 – 200	50 – 100	1.7 – 3.4			

MAKE APPLICATION WHEN LARVAE ARE IN THE FIRST AND SECOND INSTAR. LARVAE MUST INGEST OBS TO BE INFECTED, WHICH IS THE CASE WHEN THEY CONSUME SPRAYED PLANT MATERIAL.

This product is for use on both field and greenhouse crops and ornamentals. USE NONCHLORINATED WATER AT A pH NEAR 7.0 IN THE SPRAY-TANK MIX. SPOD-X LC can be applied up to and including the day of harvest and storage. Shake well before using.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store this product in original sealed container in a cool, dry place inaccessible to children and pets. Store at temperatures below 90°F. Bioactivity may be impaired by storage above 90°F. Storing the product in a freezer or refrigerator will extend its shelf-life.

PESTICIDE DISPOSAL: Wastes resulting from ୁଲ୍ଡ uୁଞ୍ଚୁ of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recaps. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling, if available or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY

Certis USA, L.L.C. warrants that the material contained herein conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use. Timing and method of application, weather, watering practices, nature of soil, the insect problem, condition of the crop, incompatibility with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herein. NO OTHER EXPRESS OR IMPLIED WARRANTY OF THE FITNESS OR MERCHANTABILITY IS MADIC.

SHAKE WELL BEFORE USING



050304 111909

Spod-X°LC

INSECTICIDAL VIRUS

A Liquid Concentrate Biological Insecticide For Control of Beet Armyworm

SPOD-X LC is an IVP (Insecticidal Virus Product) for control of the caterpillars of the beet armyworm on field and greenhouse crops and ornamentals. Read this label carefully.

> FOR ORGANIC PRODUCTION

OMRI La sala o d Organic Maserials Review Institute

Active Ingredient:*

Polyhedral occlusion bodies (OBs) of the nuclear polyhedrosis virus of Spodoptera exigua Inert Ingredients:

Total:

*This lot contains at least 2 billion OBs/ml.

0.64%


99.36% 100.00%

CAUTION KEEP OUT OF REACH OF CHILDREN

NET CONTENTS 1 QUART

EPA Reg. No. 70051-46 EPA Est. No. 70051-CA-001

Manufactured by Certis USA 9145 Guilford Road Suite 175 Columbia, MD 21046



DEC 2 2 2003

Under the Federal Insecticides. Fungicide. and Rodenticide Act. as amended, for the pesticide registered under 70/51-44.



USER SAFETY RECOMMENDATION

Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

ENVIRONMENTAL HAZARDS: Do not contaminate water when disposing of equipment washwaters. STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not re-use empty containers.

STORAGE: Store this product in original sealed container in a cool, dry place inaccessible to children and pets. Store at temperatures below 90°F. Bioactivity may be impaired by storage above 90°F. Storing the product in a freezer or refrigerator will extend its shelf-life.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Pesticide, spray mixture or rinsate that cannot be used should be disposed of on

site or in an approved waste disposal facility in accordance with Federal and local regulations.

CONTAINER DISPOSAL: Plastic container - triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by State and local authorities, by burning. If burning is allowed, stay out of smoke.

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS (AND DOMESTIC ANIMALS): Avoid inhalation or contact with skin, eyes or clothing. Avoid breathing spray mist.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Hot Line Number: 1-800-255-3924.

PERSONAL PROTECTIVE EQUIPMENT:

Applicators and other handlers must wear:

- · Long-sleeved shirt and long pants
- · Shoes plus socks.

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exemptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval (REI). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- · Waterproof gloves
- Shoes plus socks

GENERAL INFORMATION

SPOD-X LC is a highly selective insecticide for use against the insects and on the crops listed on this label. Always follow these directions:

Treat when larvae are young (early instars) and are actively feeding. Apply before extensive damage has occurred. When insect infestations are heavy, use the higher label rates.

Thorough spray coverage is essential for good insect control. Apply SPOD-X LC by conventional ground or aerial application equipment with quantities of water to provide thorough coverage of infested plants without runoff. The amount of water needed per acre will depend on weather, spray equipment, and local experience. Use the

application amount of SPOD-X LC in 20-100 gallons of water per acre for ground application and in at least 5 gallons of water for aerial application.

Use of a spreader/sticker and ultraviolet screening agent can enhance the performance of this product. Fill the mix tank with desired quantity of water. Use agitation during mixing. If spreader/sticker or ultraviolet screen is used, add prior to the addition of SPOD-X LC. Mixing time can be reduced by premixing SPOD-X LC with a small amount of water and vigorously agitating before adding to the tank. Mix final formulation for 10-30 minutes.

APPLICATION RATES

CROP	RATE				
	Billions Obs Per Acre	Mls Per Acre	Oz Per Acre		
Vegetables: Tomatoes, lettuce, cábbage, beans, peppers, celery, escarole, sweet corn, peas, asparagus, beets, cauliflower, cucumber, broccoli, onion	100 – 200	50 – 100	1.7 – 3.4		
Other Crops: Cotton, alfalfa, soybeans, peanuts, potatoes, corn, wheat, sweetpotatoes, tobacco, sunflower, sugarbeets	100 – 200	50 – 100	1.7 – 3.4		
FLORICULTURE: Chrysanthemum, gysophila, gerbera, rose, carnation, azalea, gladiolus, cyclamen, saintpaulia, geranium, Bouvardia	100 – 200	50 – 100	1.7 – 3.4		

MAKE APPLICATION WHEN LARVAE ARE IN THE FIRST AND SECOND INSTAR. LARVAE MUST INGEST OBS TO BE INFECTED, WHICH IS THE CASE WHEN THEY CONSUME SPRAYED PLANT MATERIAL.

This product is for use on both field and greenhouse crops and ornamentals. USE NON-CHLORINATED WATER AT A pH NEAR 7.0 IN THE SPRAY-TANK MIX. SPOD-X LC can be applied up to and including the day of harvest and storage. Shake well before using.

Certis USA, L.L.C. warrants that the material contained herein conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use. Timing and method of application, weather, watering practices, nature of soil, the insect problem, condition of the crop, incompatibility with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herein. NO OTHER EXPRESS OR IMPLIED WARRANTY OF THE FITNESS OR MERCHANTABILITY IS MADE.

SHAKE WELL BEFORE USING

M081103 M081803 OMRI